

Longshot Loads 180gr

Bullet	Primer	Longshot Gr.	OAL	FPS	Ft/Lbs	Average FPS	Average Ft/Lbs	Standard Deviation FPS
MG 180gr JHP	CCI 300	6.40	1.58	854.80	FALSE			
MG 180gr JHP	CCI 300	6.40		861.80	296.78	856.23	292.96	5.01
MG 180gr JHP	CCI 300	6.40		852.10	290.14			
MG 180gr JHP	CCI 300	6.70		937.10	350.91	918.55	337.16	26.23
MG 180gr JHP	CCI 300	6.70		900.00	323.68			
MG 180gr JHP	CCI 300	7.20		923.60	340.87	938.75	352.15	21.43
MG 180gr JHP	CCI 300	7.20		953.90	363.61			
MG 180gr JHP	CCI 300	8.00		1048.00	438.88	1053.00	443.08	7.07
MG 180gr JHP	CCI 300	8.00		1058.00	447.30			
MG 180gr JHP	Rem 2 1/2	8.20		1099.00	482.64			
MG 180gr JHP	Rem 2 1/2	8.20		1155.00	533.08	1124.75	505.52	23.61
MG 180gr JHP	Rem 2 1/2	8.20		1129.00	509.35			
MG 180gr JHP	Rem 2 1/2	8.20		1116.00	497.68			
MG 180gr JHP	Rem 2 1/2	8.40		1158.00	535.85	1142.33	521.45	13.80
MG 180gr JHP	Rem 2 1/2	8.40		1132.00	512.06			
MG 180gr JHP	Rem 2 1/2	8.40		1137.00	516.59			
MG 180gr JHP	Rem 2 1/2	8.60		1173.00	549.82	1169.67	546.70	9.45
MG 180gr JHP	Rem 2 1/2	8.60		1177.00	553.58			
MG 180gr JHP	Rem 2 1/2	8.60		1159.00	536.78			
MG 180gr JHP	Rem 2 1/2	8.80		1182.00	558.29			
MG 180gr JHP	Rem 2 1/2	8.80		1210.00	585.05	1197.75	573.27	19.05
MG 180gr JHP	Rem 2 1/2	8.80		1181.00	557.35			
MG 180gr JHP	Rem 2 1/2	8.80		1218.00	592.82			
MG 180gr JHP	Rem 2 1/2	8.90		1247.00	621.38			

MG 180gr JHP	Rem 2 1/2	8.90	1260.00	634.41	1246.00	620.44	14.53
MG 180gr JHP	Rem 2 1/2	8.90	1231.00	605.54			
MG 180gr JHP	Rem 2 1/2	9.10	1217.00	591.84			
MG 180gr JHP	Rem 2 1/2	9.10	1233.00	607.51			
MG 180gr JHP	Rem 2 1/2	9.10	1236.00	610.47	1232.00	606.55	9.25
MG 180gr JHP	Rem 2 1/2	9.10	1232.00	606.52			
MG 180gr JHP	Rem 2 1/2	9.10	1242.00	616.41			
MG 180gr JHP	Rem 2 1/2	9.20	1234.00	608.49			
MG 180gr JHP	Rem 2 1/2	9.20	1231.00	605.54			
MG 180gr JHP	Rem 2 1/2	9.20	1238.00	612.45	1238.60	613.06	8.50
MG 180gr JHP	Rem 2 1/2	9.20	1237.00	611.46			
MG 180gr JHP	Rem 2 1/2	9.20	1253.00	627.38			
MG 180gr JHP	Rem 2 1/2	9.30	1252.00	626.38			
MG 180gr JHP	Rem 2 1/2	9.30	1256.00	630.38			
MG 180gr JHP	Rem 2 1/2	9.30	1245.00	619.39	1249.20	623.60	8.17
MG 180gr JHP	Rem 2 1/2	9.30	1237.00	611.46			
MG 180gr JHP	Rem 2 1/2	9.30	1256.00	630.38			
MG 180gr JHP	Rem 2 1/2	9.40	1274.00	648.58			
MG 180gr JHP	Rem 2 1/2	9.40	1267.00	641.47			
MG 180gr JHP	Rem 2 1/2	9.40	1253.00	627.38			
MG 180gr JHP	Rem 2 1/2	9.40	1265.00	639.45	1256.10	630.55	13.71
MG 180gr JHP	Rem 2 1/2	9.40	1247.00	621.38			
MG 180gr JHP	Rem 2 1/2	9.40	1271.00	645.53			
MG 180gr JHP	Rem 2 1/2	9.40	1234.00	608.49			
MG 180gr JHP	Rem 2 1/2	9.40	1237.00	611.46			
MG 180gr JHP	Rem 2 1/2	9.40	1255.00	629.38			
MG 180gr JHP	Rem 2 1/2	9.40	1258.00	632.39			

Published Loads

Hornady Loads	FPS	Ft/Lbs
Longshot Gr.	950.00	360.64
6.4 (min)	1000.00	399.60
6.90	1050.00	440.56
7.30	1100.00	483.52
7.80	1150.00	528.47
8.2 (max)		

Steves Loads

Longshot Gr.
6.4 (min)
9.5 (max)

Hodgon Loads	FPS	Ft/Lbs	Pressure
Longshot Gr.	1287.00	661.89	34,600 psi
9.5 (max)			

